

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: HOOF AND GLUSHU CLEANER 750 ML ACETON FREE
UFI	: DX96-8A00-DUJA-N0AR
Product code	: 490000750
Vaporizer	: Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Use of the substance/mixture	: Cleaning agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Glue-U Adhesives B.V.
Droogdokkeneiland , 8
5026 SR Tilburg – Noord-Brabant
Nederland
T 013 - 545 3118
sales@glue-u.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.
H229 - Pressurised container: May burst if heated.
H315 - Causes skin irritation.

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects. : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing spray, gas, vapours. P501 - Dispose of Contents and container, to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
Extra phrases	: Without adequate ventilation formation of explosive mixtures may be possible.

2.3. Other hazards

Other hazards which do not result in classification : Not applicable.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

No data available

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE substance with a Community workplace exposure limit	EC-No.: 921-024-6 REACH-no: 01-2119475514-35	75 – 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411
PROPANE	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944-21	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
KOOLSTOFDIOXIDE substance with a Community workplace exposure limit	CAS-No.: 124-38-9 EC-No.: 204-696-9	2.5 – 5	Press. Gas (Liq.), H280
ISOBUTANE (CONTAINS < 0,1% BUTANE 203-450-8)	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-01-8 REACH-no: 01-2119485395-27	2.5 – 5	Flam. Gas 1, H220 Press. Gas (Comp.), H280
BUTANE (CONTAINING < 0,1% BUTADIENE (203-450-8))	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-01-8 REACH-no: 01-2119474691-32	2.5 – 5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: With unconsciousness; location and transport in a stable side position.
First-aid measures after skin contact	: Wash immediately with plenty of soap and water. Rinse well.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open.
First-aid measures after ingestion	: Drink plenty of water. Move to fresh air. immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray jet. Dry powder. Carbon dioxide. For a significant fire : high volume water jet. alcohol-resistant foam.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire : On heating or during combustion toxic fumes are released.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide adequate ventilation. Keep away from ignition sources.

6.1.1. For non-emergency personnel

Protective equipment : Breathing apparatus. Wear recommended personal protective equipment. Keep unprotected persons away.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Notify the competent authority if it enters wastewater or sewers. Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Ensure that there is a suitable ventilation system. For disposal of contaminated materials refer to section 13 : "Disposal considerations".

6.4. Reference to other sections

Stable under recommended handling and storage conditions (see section 7). For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Have respirators ready. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
- Precautions for safe handling : Ensure good extraction / ventilation of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep tanks tightly closed.
- Storage conditions : The government provisions with regard to the storage of compressed gas packings must be observed.
- Information on mixed storage : Not applicable.
- Storage area : Category 2B.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE	
EU - Indicative Occupational Exposure Limit (IOEL)	
	The basis of the information is the data that were valid when compiled.
HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	2035 mg/m ³
IOEL STEL	1000 mg/m ³
KOOLSTOFDIOXIDE (124-38-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Carbon dioxide
IOEL TWA	9000 mg/m ³
IOEL TWA [ppm]	5000 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Do not breathe gas/fumes/vapour/spray. Ensure good ventilation of the work station. No additional data, see chapter 7.

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Gas mask. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Wash clothing before re-using. Wash thoroughly after handling

Hand protection:

Butyl rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42 - 480 minutes. For safety reasons, we advise users and persons responsible for safety at work to assume a solvent resistance of 42 minutes. In view of the information in section 3 of this SDS, a longer resistance duration can be assumed in certain cases

8.2.2.3. Respiratory protection

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A2/P3

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow to enter into surface water or drains.

Other information:

Keep away from food, drink and animal feedingstuffs. Take off contaminated clothing. Wash hands before breaks and after work. Do not breathe gases/vapours/aerosol. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Colour	: Colourless.
Appearance	: Liquid.
Odour	: Solvent.
Odour threshold	: Not determined.
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: Not usable due to aerosol
Flammability	: Not applicable.
Explosive properties	: The product is not explosive, but the formation of explosive vapor / air mixtures is possible.
Explosive limits	: Not available
Lower explosive limit (LEL)	: 0.6 vol %
Upper explosive limit (UEL)	: 8 vol %
Flash point	: -12 °C Not usable due to aerosol
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not determined.
pH	: Not determined.
Viscosity, kinematic	: Not determined.

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, dynamic	: Not determined.
Solubility	: Not or slightly miscible with water. Organic solvent:97 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not determined.
Vapour pressure	: 3500 hPa @ 20°
Vapour pressure at 50 °C	: Not available
Density	: 0.7 g/cm ³ @ 20°
Relative density	: Not determined.
Relative vapour density at 20 °C	: Not determined.
Particle size	: No data available
Particle size distribution	: No data available
Particle shape	: No data available
Particle aspect ratio	: No data available
Particle aggregation state	: No data available
Particle agglomeration state	: No data available
Particle specific surface area	: No data available
Particle dustiness	: No data available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients :

9.2.2. Other safety characteristics

VOC content : 681 g/l VOC (EG) -- , VOC (EU)% : 97,00 %
Solids content : 5,3% 0,0%

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

No degradation when used as directed.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional data.

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met
Acute toxicity (dermal) : Based on available data, the classification criteria are not met
Acute toxicity (inhalation) : Based on available data, the classification criteria are not met

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE

LD50 oral rat	> 5840 mg/kg
---------------	--------------

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE

LD50 dermal rabbit	> 2920 mg/kg
LC50 Inhalation - Rat	> 25.2 mg/l air

Skin corrosion/irritation	: Causes skin irritation. pH: Not determined.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met pH: Not determined.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Vaporizer	Aerosol
Viscosity, kinematic	Not determined.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: No information available
Hazardous to the aquatic environment, long-term (chronic)	: No information available

HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE

LC50 - Fish [1]	11.4 mg/l (Fish 96h)
EC50 - Crustacea [1]	3 mg/l 48h
EC50 72h - Algae [1]	30 – 100 mg/l

12.2. Persistence and degradability

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Persistence and degradability	No information available.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Partition coefficient n-octanol/water (Log Pow)	Not determined.
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Mobility in soil	No information available
Aquatic hazard (NL)	A (2) toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Additional information

Toxic to fish. Hazardous to water (WGK 2(D)Self classification). Do not discharge into groundwater, into surface water or into drains. Danger to drinking water even if small amounts leak into the ground. Also poisonous to fish and plankton in surface water. Toxic to aquatic organisms

12.5. Results of PBT and vPvB assessment

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Results of PBT assessment

The product does not meet the PBT and vPvB classification criteria

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : No information available




SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not dispose of with domestic waste. Do not discharge into drains.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
European List of Waste (LoW) code : 20 01 13* - solvents
15 01 04 - metallic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name		
AEROSOLS	AEROSOLS (HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE .)	Aerosols, flammable
Transport document description		
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS (HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE .), 2.1, MARINE POLLUTANT	UN 1950 Aerosols, flammable, 2.1
14.3. Transport hazard class(es)		
2.1	2.1	2.1
		
14.4. Packing group		
No data available	No data available	No data available

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: Yes	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Special transport precautions : Gases (except aerosol dispensers and lighters)

Overland transport

Classification code (ADR) : 5F
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Transport category (ADR) : 2
Tunnel restriction code (ADR) : D

Transport by sea

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E0
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

Air transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	HYDROCARBONS, C6-C7, N-ALKANES, ISOALKANES, CYCLICS, <5% N-HEXANE ; ISOBUTANE (CONTAINS < 0,1% BUTANE 203-450-8) ; PROPANE ; BUTANE (CONTAINING < 0,1% BUTADIENE (203-450-8))	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 681 g/l VOC (EG) -- , VOC (EU)% : 97,00 %

Other information, restriction and prohibition regulations : Qualifying quantity (tonnes) for applications of requirements for low-threshold devices: 150 t. Qualifying quantity (tonnes) for application of requirements for high-threshold devices: 500 t.

Directive 2012/18/EU (SEVESO III)

Seveso Additional information : P3a :Flammable aerosol. E2: Hazardous to the aquatic environment.

15.1.2. National regulations

Hazardous to water (WGK 2(D))Self classification)

France	
Occupational diseases	
Code	Description: Cleaning agent
RG 66	Occupational rhinitis and asthma

Germany

Water hazard class (WGK) 2 : WGK: 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark
Classification remarks : Add boilingpoint; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Modified	

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
CAS-No.	Chemical Abstract Service number
VOC	Volatile Organic Compounds
LC50	Median lethal concentration
LD50	Dose leading to death in 50% of a test population (median lethal dose)
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative

Data sources : These data are based on the current state of our knowledge. However, they do not provide a guarantee of product properties and do not establish a contractual legal relationship. Classification procedure: . Health and Environmental Hazards: The method for classifying mixtures based on the components of the mixture (sum formula). Physical and Chemical Properties: Classification is based on the results of the mixtures tested.

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1	Flammable gases, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 2	Flammable liquids, Category 2
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

HOOF AND GLUSHU CLEANER 750 ML ACETON FREE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.