

Product Name: THM – HufStabil® Extra Revised on: 15.09.2021 Version Number: 02

Replaces version dated: 08.05.2008

SECTION 1: Identification of the substance or mixture and of the company

1.1 Product Identifier

Substance Name: THM HufStabil Extra Article Number: THM-02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Hoof care product for external application on equines. Stabilization and strengthening of the hoof.

Uses advised against:

Use for the care of hairy epidermis. **1.3 Supplier Details Providing the Safety Data Sheet**

Supplier

Wolf Busch –Der Huf Ruppersdorf 1 b D-91604 Flachslanden Germany

Telephone / Fax / E-Mail

+49 (0)9828 911 9684 /+49 (0)9828 911 9685/ E-Mail: produktsicherheit@der-hufshop.de

1.4 Emergency phone number

Poison Control Centre Munich Phone: +49 (0) 89 19240

SECTION 2: Potential Hazards

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

H226 Flammable liquid and vapour.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.

H317 May cause allergic skin reactions.

H411 Aquatic Chronic 2; Toxic to aquatic life with long-lasting effects.

2.2 Labeling elements

Regulation (EC) No. 1272/2008 Pictogram(s) and Signal word of the product



GHS02, GHS07, GHS09



Product Name: THM – HufStabil® Extra Revised on: 15.09.2021 Version Number: 02 Signal word: Attention

Replaces version dated: 08.05.2008

Hazardous components for labeling (Product identifiers)

- d-Limonen CAS 5989-27-5
- Linalool CAS 78-70-6
- Citral CAS 5392-40-5
- Thujon CAS 546-80-5

Hazard Statements:

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause allergic skin reactions.

H411 Toxic to aquatic life with long-lasting effects.

Safety precautions:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P391: Collect spillage.

P403+P235 Store in a well ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other Hazards

Results of PBT and vPvB Assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

3.1 Substances

3.2 Mixtures

Composition/Information on Ingredients

- Limonene (R)-p-Mentha-1,8-diene: 8.13-8.15 vol %
 - EC No. 227-813-5 CAS 5989-27-5
 - Hazard Statements: H226 Flammable liquid and vapor, H315 Causes skin irritation, H317 May cause an allergic skin reaction, H410 Very toxic to aquatic life with long-lasting effects.
 - Linalool 3,7-Dimethylocta-1,6-dien-3-ol : 3,5 3,6 Vol%
 - o EC No. 201-134-4 CAS 78-70-6
 - Hazard statements: H317 Skin Sens. 1B
- Citral (3,7-dimethylocta-2,6-dienal): 0.53-0.53 vol %
 - EC No. 226-394-6 CAS 5392-40-5
 - Hazard Statements: H315 Causes skin irritation, H317 May cause an allergic skin reaction.
- Thujone 1-isopropyl-4-methylbicyclo[3.1.0]hexan-3-one : 2.2 2.23 vol%
 - EC-NO. 208-912-2 CAS 546-80-5
 - o Hazard statements: H317 Skin Sens. 1; H412 Aquatic Chronic 3

Substances with Union workplace exposure limits



Product Name: THM – HufStabil® Extra Revised on: 15.09.2021 Version Number: 02 Not contained The wording of the listed hazard statements can be found in section 16.

SECTION 4: First aid measures

4.1 Description of First Aid Measures

General advice:

Remove contaminated clothing immediately.

Inhalation:

Provide plenty of fresh air. If symptoms persist, seek medical attention. If unconscious, place in a stable side position for transport.

Skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of allergic

reactions / skin irritation consults a doctor immediately and show the label or this safety data sheet. **Eye contact:**

Rinse opened eye for several minutes under running water, seek medical advice.

After swallowing:

Rinse mouth with water (only if the victim is conscious). Seek medical advice immediately and show the packaging / label or this safety data sheet.

4.2 Most important acute and delayed symptoms and effects

No further relevant information available.

4.3. Indications for medical immediate assistance or special treatment:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing agents

Suitable extinguishing agents

CO2, extinguishing powder, water mist, alcohol-resistant foam

Unsuitable extinguishing agents

Water with full jet

5.2 Special hazards arising from the substance or mixture

Vapors produced during combustion can cause respiratory irritation if inhaled.

5.3 Advice for firefighters

Do not allow extinguishing water to enter canals and bodies of water. Wear breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Product Name: THM – HufStabil® ExtraRevised on: 15.09.2021Version Number: 02Procedures to be appliedWear protective equipment; keep unprotected persons away.Do not inhale vapours. Avoid contact with skin and eyes.

6.2 Environmental precautions

Do not allow to enter drains, surface water and/or ground water. In case of penetration into inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See section 7 for information on safe handling. For information on personal protective equipment, see section 8. For information on disposal, see section 13.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Information for secure handling

Good ventilation of storage and work areas.

Information on fire and explosion protection

Keep away from sources of ignition - No smoking.

7.2 Conditions for safe storage in consideration of incompatibilities

Requirements for storage rooms and containers

Store tightly closed in the original container in a well-ventilated place. Prevent any seepage into the ground.

7.3 Specific end uses

There is no information available.

SECTION 8: Exposure controls/personal protective equipment

8.1 Parameters to be monitored

The product does not contain any relevant quantities of workplace-related substances that need to be monitored.

Additional information: The lists valid during creation served as the basis.

8.2 Exposure controls/personal protective equipment

Suitable technical control equipment

No further details see point 7. Personal protective equipment



Product Name: THM – HufStabil[®] Extra Revised on: 15.09.2021 Version Number: 02



Eye/face protection

Use safety glasses with side protection.

Skin protection

Take recovery periods to regenerate the skin. Preventive skin protection (protective creams/ointments) is recommended.

Hand protection

The glove material must be impermeable and resistant to the product. Due to a lack of testing, no recommendation can be made regarding the glove material for the product. The choice of glove material must be made taking into account the breakthrough times, permeation rates and degradation. *Glove material:* The selection of a suitable glove depends not only on the material, but also on other material, but also on other quality features and varies from manufacturer to manufacturer. *Penetration time of the glove material:* The penetration time must be obtained from the glove manufacturer and and must be adhered to.

Other protective measures

Keep away from food, drink and animal feed. Do not eat, drink or smoke during work. Avoid contact with eyes and skin. Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work.

Respiratory protection

In case of intensive or prolonged exposure, use a respiratory filter device.

Thermal hazards

Limitation and monitoring of environmental exposure

SECTION 9: Chemical and physical properties

9.1 Information on basic physical and chemical properties

	Parameter	Value	Method	Remark
а	physical state	liquid		
b	colour	yellow to brownish		
С	smell	characteristic		
d	fusion point / freezing point	not defined		
е	boiling point or initial boiling point and boiling range	not defined		
f	flammability	not defined		
g	lower explosion limit	not defined		
	upper explosion limit			
h	flashing point	50°C		
i	ignition temperature	not defined		
j	decomposition temperature	not defined		
k	pH value	not defined		
I	kinematic viscosity	>50mm²/s		
m	solubility	immiscible		
n	octanol-water partition coefficient	not defined		
0	vapour pressure	not defined		
р	density and relative density	0,930 g/cm ³		



Product Name: THM – HufStabil® Extra Revised on: 15.09.2021

Version Number: 02			Replaces version dated: 08.05.2008		
q	relative vapour density	not defined			
r	particle properties	not defined			

9.2 Further information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under specified storage conditions.

10.2 Chemical stability

No decomposition if stored and used as intended.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid Protect from heat.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes according to regulation (EC) No 1272/2008
acute toxicity
Harmful if swallowed.
Corrosive -/Irritant effect on the skin

Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory/skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific Target Organ Systemic Toxicity at single exposure Specific Target Organ Systemic Toxicity at repeated exposure Based on available data, the classification criteria are not met.



Replaces version dated: 08.05.2008

Product Name: THM – HufStabil® Extra Revised on: 15.09.2021 Version Number: 02 **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

No additional information available.

11.2.1 Endocrine disrupting properties

Based on available data, the classification criteria are not met.

11.2.2 Other information

Not specified.

SECTION 12: Environmental information

12.1 Toxicity

Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment Water hazard class 3 (Self-assessment): highly hazardous to water.

12.2 Persistence and degradability

readily biodegradable

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of the PBT and vPvB assessment

No data available:

12.6 Endocrine disrupting properties

not listed

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment

Must not be disposed of together with household garbage. Do not allow the product to reach sewage system.

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

SECTION 14: Information on transport

14.1 UN number or ID number ADR, IMDG, IATA UN1169

14.2 Proper shipping nameARD/RID1169 EXTRACTS, AROMATIC, LIQUID, DANGEROUS FOR THE ENVIRONMENT



Product Name: THM – HufStabil® Extra Revised on: 15.09.2021 Version Number: 02 IMDG-Code / ICAO-TI / IATA-DGR EXTRACTS, AROMATIC, LIQUID, MARINE POLLUTANT

Replaces version dated: 08.05.2008

14.3 Transport hazard class

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR

Ш

Class 9 Environmentally hazardous substances (marine pollutant) Danger label 3

14.4 Packaging group

ADR, IMDG, IATA

14.5 Environmental hazardsEnvironmentally hazardous substance markingMarine pollutant:yesSpecial labelling ADR:(Symbol: fish and tree)

14.6 Special precautions for the user See section 6-8

14.7 Transport in bulk by sea in accordance with IMO instruments Not applicable

SECTION 15: Legal Provisions

15.1 Regulations on safety, health and environmental protection/specific legislation for the substance or mixture EU Regulations

Regulation (EC) No. 1005/2009 (Substances that deplete the ozone layer): Not applicable

Regulation (EC) No 850/2004 (Persistent organic pollutants) Not applicable

Regulation (EC) No. 649/2012 (Export and import of dangerous chemicals) Not applicable

Regulation (EC) No 648/2004 on detergents: Not applicable

Authorisations according to Title VII of Regulation (EC) No 1907/2006: Not applicable

Restrictions according to Title VIII of Regulation (EC) No 1907/2006: Not applicable

National regulations

Classification according to the Ordinance on Industrial Safety and Health (BetrSichV): Storage class according to TRG S 510: 3 Water hazard class (classification according to VwVwS): WGK 3 (self-assessment): highly hazardous to water.

15.2 Chemical safety assessment

The mixture was not subjected to a safety assessment.



Product Name: THM – HufStabil[®] Extra Revised on: 15.09.2021 Version Number: 02 SECTION 16: Further Informations

Replaces version dated: 08.05.2008

Legend

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA DGR: Dangerous Goods Regulations by the "International Air Tr ansport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agr eement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS : European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) Acute Tox. 4: Acute toxicity, Hazard C ategory 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Skin Sens. 1: Sensitisation Skin, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment Chronic Hazard, Category 2

List of hazard warnings that are not not completely written out in sections 2 to 15

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.

Further Information:

This version replaces all previous editions.

The information in this safety data sheet corresponds, to the best of our knowledge, to the time of its creation. The information provided is based on our current understanding and does not constitute a guarantee of product properties or establish a contractual relationship. Users are advised that using a product for purposes other than its intended use may be hazardous. The information is intended to provide guidance for safe handling, storage, processing, transportation, and disposal of the product mentioned in this safety data sheet. This information is not transferable to other products. If the product mentioned in this safety data sheet is mixed, blended, or processed with other materials, or subjected to any form of processing, the information provided in this safety data sheet, unless expressly stated otherwise, cannot be transferred to the resulting new material. The information provided in the safety data sheet does not relieve the user of the obligation to inform themselves about applicable regulations and to comply with them. The user is solely responsible for taking the necessary precautions in handling the product. The legal regulations provided are intended to assist the user in fulfilling their obligations. No guarantee is given for accuracy and completeness. It is the responsibility of the user to ensure that they have no further obligations beyond those specified herein.

This is a translation from German. In case of ambiguity, please refer to the German original.